

09 May 2013 C/O: Intertek Testing Services Shanghai Ltd Building No.86, 1198 Qingzhou Road (North), Shanghai 200233, P. R. China

Zhenjiang Huayin Instrument and Electrical Equipment Co., Ltd.

Teresa Zheng Dear Sir / Madam,

APPROVAL OF PRESCRIBED EQUIPMENT

Enclosed is the Certificate(s) in respect to your recent application received by Queensland Government (ESO).

Please take time to check the certificate to ensure that all details are correct in accordance with your application, and that you understand all of the conditions imposed on the approval.

Should you have any queries, please contact Pravin Venkatesan on telephone ,or email pravin.venkatesan@justice.qld.gov.au

Any samples that accompanied your application are available for collection, and if not collected within 20 business days of the date hereon may be disposed of.

Telephone (07) 3898 0359

Facsimile (07) 3406 3808

Notification must be given to Queensland Government (ESO) of any change of registered Address within 20 business days.

Yours faithfully

DIRECTOR OF EQUIPMENT SAFETY

Ref: ESO130311/00

Certificate Number: ESO130311/00



Certificate of Approval

This is to certify that the Director of Equipment Safety has approved the electrical equipment described hereunder.

Registered Declarant: Zhenjiang Huayin Instrument and Electrical Equipment Co., Ltd.

Qijia Village, Baqiao Town,

Yangzhong, Jiangsu, 212219 China, People's Republic of

Required Marking: ESO130311

Electrical equipment covered by this approval must comply in all respects with the approved article, and prior to being supplied or offered for supply, must be clearly and indelibly marked with the required marking indicated above, or the Regulatory Compliance Mark (RCM) provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled.

Any modifications to the electrical equipment or its place of manufacture must be approved by Queensland Government (ESO) prior to the equipment being supplied or offered for supply.

Notification must be given to Queensland Government (ESO) of any change to the name or address of the holder of the certificate within 20 business days.

ARTICLE DETAILS

Electrical Equipment: Prescribed

Plug

Non-Rewireable Plug

Page: (2/4)

Relevant Standards: AS/NZS3112:2011 including amendment 1.

Expiry Date: 25/05/2018

Conditions of Approval: Alternative Certification mark Q03586

Director of Equipment Safety

Certificate Number: ESO130311/00



Approval details


| Model | 2S02-1 |
|------------|---|
| Rated at | Input: 250 Vac, 7.5 A |
| Trade Name | НҮТЈ |
| Comments | with longitudinal cord entry, moulded |
| | to Zhenjiang Huayin Instrument and |
| | Electrical Equipment Co., Ltd. supply |
| | flexible cords H05VV-F 2×0.75 mm ² |
| | or H05VVH2-F 2×0.75 mm ² |
| | (Q03403). |

| Model | 2S02 |
|------------|---|
| Rated at | Input: 250 Vac, 10 A |
| Trade Name | НҮТЈ |
| Comments | with longitudinal cord entry, moulded |
| | to Zhenjiang Huayin Instrument and |
| | Electrical Equipment Co., Ltd. supply |
| | flexible cords H05VV-F 2×0.75 mm ² |
| | or H05VVH2-F 2×0.75 mm ² or |
| | H05VV-F 2x1.0 mm ² (Q03403). |

| Model | 3S02-1 |
|------------|--|
| Rated at | Input: 250 Vac, 7.5 A |
| Trade Name | НҮТЈ |
| Comments | 3-pin plug with longitudinal cord entry, moulded to Zhenjiang Huayin Instrument and Electrical Equipment Co., Ltd. supply flexible cord H05VV- |
| | Co., Ltd. supply flexible co $F 3\times0.75 \text{ mm}^2 (Q03403)$. |

| Model | 3802 |
|------------|--|
| Rated at | Input: 250 Vac, 10 A |
| Trade Name | НҮТЈ |
| Comments | 3-pin plug with longitudinal cord entry, moulded to Zhenjiang Huayin |

E RM





| Instrument and Electrical Equipment |
|---|
| Co., Ltd. supply flexible cords H05VV- |
| F 3×0.75 mm ² or H05VV-F 3x1.0 |
| mm²(Q03403). |

| Model | 3S02-2 |
|------------|--|
| Rated at | Input: 250 Vac, 15 A |
| Trade Name | НҮТЈ |
| Comments | 3-pin plug with longitudinal cord entry, |
| | moulded to Zhenjiang Huayin |
| | Instrument and Electrical Equipment |
| | Co., Ltd. supply flexible cord H05VV- |
| | $F 3x1.5 \text{ mm}^2(Q03403).$ |

Page: (4/4)

Director of Equipment Safety